

SOUND WALL

SOUND WALL is a composite self-supporting panel. It is recommended for realisation of acoustic screens, and is also used for doubling industrial buildings, commercial, agricultural or sport centres, in which acoustics and non-flammability are important.

3

COMPOSITION:

Composite, self-supporting, metal panel, made by a rockwool (hidensity: 90 kg/m³) heart, between two steel plates.

Screen / enclosure application : the interior side is perforated.

Baffle application: both sides are perforated.

ADVANTAGES:

- High noise insulation.
- High noise absorption because of the perforated side.
- High resistance to weather conditions.
- Perfectly appropriated as acoustic screens or industrial equipment enclosures.
- Non flammable: M0.

TECHNICAL DATAS:

Dimensions: 1180 x 3000 mm - any length on request.

Standard thickness: 80 mm - also available on 50 and 100 mm

Finish: Perforated steel plate, painted RAL 9002.

Density: 15,6 kg / m²

Combustibility: M0

ACOUSTIC PERFORMANCES:

Screen application: Noise reduction between 3 and 10 dBA Enclosure application: Noise reduction between 10 and 20 dBA

Baffle or noise absorbent application:

f (Hz)	125	250	500	1000	2000	4000
Abs.Coeff.	0.47	0.64	0.79	0.81	0.76	0.65

INSTALLATION:

The fitment system of Sound Wall panels allows a simplified sliding installation in a metallic rigid structure.

APPLICATIONS:

- Setting in conformity of noisy equipments (screen or engine enclosures).
- Noise absorption in all room types.
- Sound-proofing of technical places.
- Improvement of hearing comfort in industries.
- Industrial engine enclosures.



z)	125	250	500	1000	2000	4000
.Coeff.	0.47	0.64	0.79	0.81	0.76	0.65